




## TS-F-300 Product Show



two-channel



Single channel




## Product model : TS-F-300

### Functions & Features

- Reasonable and reliable design with low noise, smooth operation, and long service life.
- Anti-tailgating and anti-reverse passage functions.
- Card reading can be configured with memory or non-memory modes.
- Automatic reset function: After access is granted, the gate automatically returns to the locked state if no passage occurs within the preset time.
- Infrared anti-pinch (anti-clamp) protection when the gate is opening or in operation.
- Compatible with IC cards, ID cards, QR code scanning, and facial recognition systems.
- Multiple operating modes are available, including two-way card reading and one-way card reading.

### Product Size



## Product model : TS-F-300

### Parameter

|                         |                                  |
|-------------------------|----------------------------------|
| Brand Name              | Technospacio                     |
| Size (L*W*H)            | 1200*160*980mm                   |
| Pass width              | 600mm                            |
| Power                   | 40W                              |
| Material/Thickness      | SUS 304; 1.2 mm top / 1. mm side |
| Sensor                  | 4 pairs                          |
| Indicator Light         | RGB light                        |
| Power Supply            | AC 110–220V, 50/60Hz             |
| Control Unit            | Brushless control system         |
| Communication Interface | Dry contact & RS485              |
| Pass rate               | 30-40 persons/minute             |
| Temperature             | -20°C~+70°C                      |
| Humidity                | ≤90% No condensation             |
| IP                      | IP44                             |
| Environment             | Indoor/Out Door ( Covered )      |
| MCBF                    | 5 million                        |

